

Twin Cities Healthy Start Data for June 1, 2009 - May 30, 2010
 Data as of August 6, 2010

Social Service Sites: American Indian Family Center & Reuben Lindh

Clinics: Indian Health Board, NorthPoint, East Side, Open Cities, Broadway Family Medicine

Note: NorthPoint was a Phase I (prenatal) site only during FY 2009-10, so they had limited data and activities for the postpartum period.

Screening, Eligibility and Enrollment

Number of Women *Screened* Each Fiscal Quarter for TCHS FY 2009-2010, by Site

	Jun-Aug 2009	Sept-Nov 2009	Dec 2009- Feb 2010	Mar-May 2010	Total
American Indian Family Ctr	15	12	13	9	49
Indian Health Board	22	19	17	13	71
NorthPoint	130	104	115	136	485
East Side	48	35	31	28	142
Open Cities	6	28	15	55	104
Reuben Lindh	1	17	13	12	43
Broadway Family Medicine	0	18	50	41	109
Total	222	233	254	294	1003

Number of Women Screened in FY 2009-2010 Who Were *Enrolled* Each Fiscal Quarter, by Site

	Jun-Aug 2009	Sept-Nov 2009	Dec 2009- Feb 2010	Mar-May 2010	Total
American Indian Family Ctr	15	12	13	9	49
Indian Health Board	10	14	13	12	49
NorthPoint	45	29	40	47	161
East Side	26	14	21	19	80
Open Cities	5	21	10	27	63
Reuben Lindh	1	17	13	12	43
Broadway Family Medicine	0	11	37	32	80
Total	102	118	147	158	525

Number of Women Screened, Eligible and Enrolled for TCHS FY 2009-2010, by Site

	Number screened	Number Eligible	% of Screened who were Eligible	Number Enrolled	% of Eligible who Enrolled
American Indian Family Ctr	49	49	100.0%	49	100.0%
Indian Health Board	71	55	77.5%	49	89.1%
NorthPoint	485	221	45.6%	161	72.9%
East Side	142	84	59.2%	80	95.2%
Open Cities	104	66	63.5%	63	95.5%
Reuben Lindh	43	43	100.0%	43	100.0%
Broadway Family Medicine	109	84	77.1%	80	95.2%
Total	1003	602	60.0%	525	87.2%

How Women Were Eligible* for TCHS in FY 2009-2010, by Site

	How Eligible for TCHS							
	PRO		Psycho-social		Age Only		Total	
	N	%	N	%	N	%	N	%
American Indian Family Ctr	32	65.3%	17	34.7%	0	.0%	49	100.0%
Indian Health Board	49	89.1%	3	5.5%	3	5.5%	55	100.0%
NorthPoint	194	87.8%	8	3.6%	19	8.6%	221	100.0%
East Side	63	75.0%	4	4.8%	17	20.2%	84	100.0%
Open Cities	65	98.5%	0	.0%	1	1.5%	66	100.0%
Reuben Lindh	42	97.7%	1	2.3%	0	.0%	43	100.0%
Broadway Family Medicine	72	85.7%	5	6.0%	7	8.3%	84	100.0%
Total	517	85.9%	38	6.3%	47	7.8%	602	100.0%

*Eligibility determined in order of priority: Eligible because of score on PRO domains, eligible because a psycho-social risk was identified later or eligible only because the woman was under age 18.

Race/ethnicity of Women Screened in FY 2009-2010, by Site

	Race/ethnicity												Total	
	African American		Asian/Pacific Islander		Hispanic		American Indian		White		Multiple			
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
American Indian Family Ctr	0	.0%	0	.0%	0	.0%	44	89.8%	0	.0%	5	10.2%	49	100.0%
Indian Health Board	5	7.2%	1	1.4%	7	10.1%	51	73.9%	2	2.9%	3	4.3%	69	100.0%
NorthPoint	253	52.2%	121	24.9%	92	19.0%	4	.8%	13	2.7%	2	.4%	485	100.0%
East Side	55	39.0%	29	20.6%	29	20.6%	6	4.3%	21	14.9%	1	.7%	141	100.0%
Open Cities	47	45.6%	29	28.2%	4	3.9%	4	3.9%	15	14.6%	4	3.9%	103	100.0%
Reuben Lindh	31	72.1%	0	.0%	0	.0%	2	4.7%	6	14.0%	4	9.3%	43	100.0%
Broadway Family Medicine	82	76.6%	7	6.5%	1	.9%	2	1.9%	6	5.6%	9	8.4%	107	100.0%
Total	473	47.4%	187	18.8%	133	13.3%	113	11.3%	63	6.3%	28	2.8%	997	100.0%

Number of African-American Women Screened, Eligible and Enrolled for TCHS FY 2009-2010, by Site

	African American				
	Number screened	Number Eligible	% of Screened who were Eligible	Number Enrolled	% of Eligible who Enrolled
NorthPoint	253	145	57.3%	106	73.1%
East Side	55	37	67.3%	36	97.3%
Open Cities	47	24	51.1%	24	100.0%
Reuben Lindh	31	31	100.0%	31	100.0%
Broadway Family Medicine	82	69	84.1%	66	95.7%
Total TCHS (all sites)	473	311	65.8%	266	85.5%

Number of American Indian Women Screened, Eligible and Enrolled for TCHS FY 2009-2010, by Site

	American Indian				
	Number screened	Number Eligible	% of Screened who were Eligible	Number Enrolled	% of Eligible who Enrolled
American Indian Family Ctr	44	44	100.0%	44	100.0%
Indian Health Board	46	42	82.4%	41	97.6%
Total TCHS (all sites)	98	102	90.3%	100	98.0%

Age of Women Screened in FY 2009-2010, by Site

	Age at Screening												Total	
	< 15		15-19		20-24		25-34		35-44		45+			
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
American Indian Family Ctr	0	.0%	14	29.2%	17	35.4%	12	25.0%	5	10.4%	0	.0%	48	100.0%
Indian Health Board	1	1.5%	14	21.2%	22	33.3%	22	33.3%	7	10.6%	0	.0%	66	100.0%
NorthPoint	2	.4%	108	22.3%	158	32.6%	177	36.6%	38	7.9%	1	.2%	484	100.0%
East Side	2	1.4%	50	35.5%	47	33.3%	33	23.4%	9	6.4%	0	.0%	141	100.0%
Open Cities	0	.0%	21	21.2%	32	32.3%	40	40.4%	5	5.1%	1	1.0%	99	100.0%
Reuben Lindh	1	2.3%	4	9.3%	15	34.9%	20	46.5%	3	7.0%	0	.0%	43	100.0%
Broadway Family Medicine	0	.0%	42	39.3%	31	29.0%	30	28.0%	4	3.7%	0	.0%	107	100.0%
Total	6	.6%	253	25.6%	322	32.6%	334	33.8%	71	7.2%	2	.2%	988	100.0%

Percent of Women Screened and Enrolled in FY 2009-2010 Who Are Missing Data on Trimester of Pregnancy of Enrollment in TCHS, by Site

	Missing	
	N	%
American Indian Family Ctr	3	6.1%
Indian Health Board	1	2.0%
NorthPoint	10	6.2%
East Side	14	17.5%
Open Cities	8	12.7%
Reuben Lindh	1	2.3%
Broadway Family Medicine	13	16.3%
Total	50	9.5%

Trimester of Enrollment for Women* Screened and Enrolled in TCHS FY 2009-2010, by Site

	Trimester Enrolled							
	1st Trim.		2nd Trim.		3rd Trim.		Total	
	N	%	N	%	N	%	N	%
American Indian Family Ctr	13	28.3%	17	37.0%	16	34.8%	46	100.0%
Indian Health Board	26	54.2%	13	27.1%	9	18.8%	48	100.0%
NorthPoint	94	62.3%	43	28.5%	14	9.3%	151	100.0%
East Side	29	43.9%	32	48.5%	5	7.6%	66	100.0%
Open Cities	10	18.2%	17	30.9%	28	50.9%	55	100.0%
Reuben Lindh	2	4.8%	24	57.1%	16	38.1%	42	100.0%
Broadway Family Medicine	31	46.3%	29	43.3%	7	10.4%	67	100.0%
Total	205	43.2%	175	36.8%	95	20.0%	475	100.0%

*For women who were not missing data.

Race/ethnicity of Women Screened and Enrolled in TCHS in FY 2009-2010, by Site

	Race/ethnicity												Total	
	African American		Asian/Pacific Islander		Hispanic		American Indian		White		Multiple			
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
American Indian Family Ctr	0	.0%	0	.0%	0	.0%	44	89.8%	0	.0%	5	10.2%	49	100.0%
Indian Health Board	3	6.1%	0	.0%	2	4.1%	41	83.7%	1	2.0%	2	4.1%	49	100.0%
NorthPoint	106	65.8%	33	20.5%	16	9.9%	3	1.9%	2	1.2%	1	.6%	161	100.0%
East Side	36	45.0%	8	10.0%	14	17.5%	6	7.5%	15	18.8%	1	1.3%	80	100.0%
Open Cities	24	38.1%	22	34.9%	3	4.8%	3	4.8%	8	12.7%	3	4.8%	63	100.0%
Reuben Lindh	31	72.1%	0	.0%	0	.0%	2	4.7%	6	14.0%	4	9.3%	43	100.0%
Broadway Family Medicine	66	83.5%	1	1.3%	1	1.3%	1	1.3%	3	3.8%	7	8.9%	79	100.0%
Total	266	50.8%	64	12.2%	36	6.9%	100	19.1%	35	6.7%	23	4.4%	524	100.0%

Age of Women Screened and Enrolled in TCHS in FY 2009-2010, by Site

	Age at Screening												Total	
	< 15		15-19		20-24		25-34		35-44		45+			
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
American Indian Family Ctr	0	.0%	14	29.2%	17	35.4%	12	25.0%	5	10.4%	0	.0%	48	100.0%
Indian Health Board	1	2.1%	11	22.9%	17	35.4%	16	33.3%	3	6.3%	0	.0%	48	100.0%
NorthPoint	2	1.2%	60	37.3%	46	28.6%	42	26.1%	10	6.2%	1	.6%	161	100.0%
East Side	2	2.5%	37	46.8%	21	26.6%	13	16.5%	6	7.6%	0	.0%	79	100.0%
Open Cities	0	.0%	14	23.0%	21	34.4%	22	36.1%	3	4.9%	1	1.6%	61	100.0%
Reuben Lindh	1	2.3%	4	9.3%	15	34.9%	20	46.5%	3	7.0%	0	.0%	43	100.0%
Broadway Family Medicine	0	.0%	34	42.5%	22	27.5%	21	26.3%	3	3.8%	0	.0%	80	100.0%
Total	6	1.2%	174	33.5%	159	30.6%	146	28.1%	33	6.3%	2	.4%	520	100.0%

Birth and Postpartum

**Number of women with a (documented) live birth and PPRO in
 FY 2009-2010**

	Number of Births	Number of PPROs*	% of Live Births with PPRO done*
AIFC	39	32	82.1%
IHB	29	22	75.9%
NP	95	54	56.8%
HS	54	43	79.6%
OC	27	23	85.2%
Reuben Lindh	25	24	96.0%
Broadway Family Medicine	13	4	30.8%
Total	282	202	71.6%

*Births June 1, 2009 – May 30, 2010 and whether PPRO done as of Aug 6, 2010.
 17 of the women who had a PPRO done were also terminated < 6 weeks postpartum.

Number of Weeks Postpartum When PPRO Administered For Participants with a Live Birth in FY 2009-2010, by Site

	Weeks postpartum when PPRO administered									
	< 4 weeks		4-8 weeks		9-12 weeks		12+ weeks		Total	
	N	%	N	%	N	%	N	%	N	%
American Indian Family Ctr	0	.0%	11	34.4%	15	46.9%	6	18.8%	32	100.0%
Indian Health Board	0	.0%	12	54.5%	4	18.2%	6	27.3%	22	100.0%
NorthPoint	13	24.1%	33	61.1%	8	14.8%	0	.0%	54	100.0%
East Side	1	2.3%	29	67.4%	8	18.6%	5	11.6%	43	100.0%
Open Cities	3	13.0%	8	34.8%	5	21.7%	7	30.4%	23	100.0%
Reuben Lindh	1	4.2%	6	25.0%	12	50.0%	5	20.8%	24	100.0%
Broadway Family Medicine	1	25.0%	2	50.0%	0	.0%	1	25.0%	4	100.0%
Total	19	9.4%	101	50.0%	52	25.7%	30	14.9%	202	100.0%

**Percent of Women with a Documented Birth in
 FY 2009-10 Who Were Missing Data on Trimester
 of Pregnancy at Start of Prenatal Care, by Site**

	Missing	
	N	%
American Indian Family Ctr	0	.0%
Indian Health Board	2	6.9%
NorthPoint	7	7.4%
East Side	14	25.9%
Open Cities	25	92.6%
Reuben Lindh	25	100.0%
Broadway Family Medicine	10	76.9%
Total	83	29.4%

**Trimester of Pregnancy at Start of Prenatal Care for Women with a Documented Birth in FY
 2009-10, by Site**

	Trimester Started Prenatal Care							
	1st Trim.		2nd Trim.		3rd Trim.		Total	
	N	%	N	%	N	%	N	%
American Indian Family Ctr	30	76.9%	9	23.1%	0	.0%	39	100.0%
Indian Health Board	20	74.1%	7	25.9%	0	.0%	27	100.0%
NorthPoint	52	59.1%	27	30.7%	9	10.2%	88	100.0%
East Side	27	67.5%	10	25.0%	3	7.5%	40	100.0%
Open Cities	2	100.0%	0	.0%	0	.0%	2	100.0%
Reuben Lindh	0	.0%	0	.0%	0	.0%	0	.0%
Broadway Family Medicine	1	33.3%	2	66.7%	0	.0%	3	100.0%
Total	132	66.3%	55	27.6%	12	6.0%	199	100.0%

*For women who were not missing data.

**Percent Births Documented in FY 2009-10 That
 Were Missing Data on Birthweight, by Site**

	Missing	
	N	%
American Indian Family Ctr	0	.0%
Indian Health Board	0	.0%
NorthPoint	4	4.2%
East Side	2	3.7%
Open Cities	2	7.4%
Reuben Lindh	2	8.0%
Broadway Family Medicine	3	23.1%
Total	13	4.6%

Birthweight of Births Documented in FY 2009-2010, by Site

	Birthweight							
	Very low (<1500 g)		Low (1500-2499 g)		Normal (2500+ g)		Total	
	N	%	N	%	N	%	N	%
American Indian Family Ctr	0	.0%	2	5.1%	37	94.9%	39	100.0%
Indian Health Board	0	.0%	3	10.3%	26	89.7%	29	100.0%
NorthPoint	1	1.1%	3	3.3%	87	95.6%	91	100.0%
East Side	1	1.9%	2	3.8%	49	94.2%	52	100.0%
Open Cities	0	.0%	1	4.0%	24	96.0%	25	100.0%
Reuben Lindh	1	4.3%	2	8.7%	20	87.0%	23	100.0%
Broadway Family Medicine	0	.0%	2	20.0%	8	80.0%	10	100.0%
Total	3	1.1%	15	5.6%	251	93.3%	269	100.0%

*For births that were not missing data.

**Percent Women Who Delivered in FY 2009-10
 Who Were Missing Data on Contraceptive Use 6-
 12 Weeks Postpartum,* by Site**

	Missing	
	N	%
American Indian Family Ctr	9	23.1%
Indian Health Board	5	17.9%
NorthPoint	37	66.1%
East Side	42	77.8%
Open Cities	11	42.3%
Reuben Lindh	7	28.0%
Broadway Family Medicine	10	83.3%
Total	121	50.4%


*Births June 1, 2009 – May 30, 2010 and contraceptive use as of Aug. 6 for women not terminated from TCHS <6 weeks postpartum.

Contraceptive Method Reported 6 – 12 weeks Postpartum for Women Who Delivered in FY 2009-10


Contraceptive Method	Site															
	AIFC		IHB		NorthPoint		East Side		Open Cities		Reuben Lindh		Broadway		Total	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
None	0	.0%	2	8.7%	3	15.8%	2	16.7%	4	26.7%	1	5.6%	0	.0%	12	10.1%
Condoms only	1	3.3%	4	17.4%	4	21.1%	1	8.3%	6	40.0%	3	16.7%	0	.0%	19	16.0%
Oral contraception	4	13.3%	3	13.0%	2	10.5%	1	8.3%	0	.0%	1	5.6%	0	.0%	11	9.2%
Depo Provera	12	40.0%	6	26.1%	4	21.1%	3	25.0%	1	6.7%	6	33.3%	2	100.0%	34	28.6%
Ortho Evra (patch)	1	3.3%	0	.0%	0	.0%	1	8.3%	1	6.7%	0	.0%	0	.0%	3	2.5%
Nuvaring	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%
Sponge	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%
IUD	6	20.0%	3	13.0%	5	26.3%	2	16.7%	1	6.7%	3	16.7%	0	.0%	20	16.8%
Diaphragm	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%
Sterilization	2	6.7%	3	13.0%	0	.0%	1	8.3%	0	.0%	2	11.1%	0	.0%	8	6.7%
Abstinence	0	.0%	0	.0%	0	.0%	0	.0%	0	.0%	2	11.1%	0	.0%	2	1.7%
Natural family planning	1	3.3%	0	.0%	0	.0%	0	.0%	2	13.3%	0	.0%	0	.0%	3	2.5%
Implanon	3	10.0%	2	8.7%	1	5.3%	1	8.3%	0	.0%	0	.0%	0	.0%	7	5.9%
Total	30	100.0%	23	100.0%	19	100.0%	12	100.0%	15	100.0%	18	100.0%	2	100.0%	119	100.0%

*For women not missing data on contraceptive use 6-12 weeks postpartum.


Risk Factor Status of All TCHS Participants Screened & Enrolled in FY 2009/2010




Risk Factor Status of AIFC Participants Screened & Enrolled in FY 2009/2010




Risk Factor Status of IHB Participants Screened & Enrolled in FY 2009/2010




Risk Factor Status of NorthPoint Participants Screened & Enrolled in FY 2009/2010




Risk Factor Status of Broadway Participants Screened & Enrolled in FY 2009/2010




Risk Factor Status of East Side Participants Screened & Enrolled in FY 2009/2010




Risk Factor Status of Reuben Lindh Participants Screened & Enrolled in FY 2009/2010




Risk Factor Status of Open Cities Participants Screened & Enrolled in FY 2009/2010




Postpartum Risk Factor Status of All TCHS Participants Screened & Enrolled in FY 2009/2010




Postpartum Risk Factor Status of AIFC Participants Screened & Enrolled in FY 2009/2010




Postpartum Risk Factor Status of IHB Participants Screened & Enrolled in FY 2009/2010




Postpartum Risk Factor Status of NorthPoint Participants Screened & Enrolled in FY 2009/2010




Postpartum Risk Factor Status of Broadway Participants Screened & Enrolled in FY 2009/2010



Postpartum Risk Factor Status of East Side Participants Screened & Enrolled in FY 2009/2010



Postpartum Risk Factor Status of Reuben Lindh Participants Screened & Enrolled in FY 2009/2010



Postpartum Risk Factor Status of Open Cities Participants Screened & Enrolled in FY 2009/2010

