



MINNEAPOLIS COMBINED SEWER OVERFLOW PROGRAM 2009 ANNUAL REPORT

APRIL 23, 2010

I hereby certify that this plan, specification, or report, was prepared by me or under my direct Supervision and that I am a duly Registered Professional Engineer under the laws of the State of Minnesota.

Lisa K. Cerney

Lisa Cerney, PE

Minneapolis Public Works, Surface Water & Sewers
Registration No. 42688



April 23, 2010

Table of Contents

NPDES/SDS Combined Sewer Overflow Permit Background	3
Sewer Separation History In Minneapolis	3
Current Status and Progress	4
Minneapolis Flood Mitigation Program	9
Sanitary Sewer Collection System	10
Storm Drain Collection System.....	10
System Challenges.....	11
Future Improvements	12

List of Figures

Fig. 1 Connected Catch Basins	4
Fig. 2 Rainleader Disconnect Program	5
Fig 3 System CSO Volume/Precipitation Comparison (1984-2009) - Minneapolis.....	6
Fig 4 Meter Data -- 1-MN-341 Site 10X-3 -- 15th Ave S & 37th St E.....	9

April 23, 2010

NPDES/SDS Combined Sewer Overflow Permit

The 1972 amendments to the Federal Water Pollution Control Act (also known as the Clean Water Act) provided the statutory basis for the National Pollutant Discharge Elimination System (NPDES) permit program. The NPDES program is designed to regulate the discharge of pollutants from point sources to waters of the United States. The Minnesota Pollution Control Agency (MPCA) has issued joint NPDES Combined Sewer Overflow (CSO) permits to the City of Minneapolis (City) and Metropolitan Council Environmental Services (MCES) since 1985.

These permits regulate CSOs by defining certain conditions that should be followed if an overflow from the sanitary system occurs, including:

- Keeping detailed records of the number of CSO events
- Maintaining volume data
- Maintaining operation and maintenance data for overflow events and elimination efforts
- Cooperation of both joint permittees is also maintained

A separate inter-agency agreement between the City and MCES details each permittee's responsibilities with respect to operation of the collection system, and notification in the event of a CSO from the sanitary sewer system.

The most recent CSO permit was issued on February 26, 1997 and expired on June 30, 2001 (Permit MN 0046744). The City and MCES applied to renew this permit in December of 2000, and began negotiating with the MPCA regarding the terms for a new permit. The City has continued to operate under the expired permit requirements, and has developed a plan to control CSOs, including an aggressive approach to eliminate connected areas and appropriate operation and maintenance of the system(s).

Sewer Separation History In Minneapolis

The oldest Minneapolis sewers were built in 1870, and were designed to carry both sewage and stormwater. In 1922, construction started for a separate storm drain system around Minneapolis lakes, as well as newly developing areas. Older areas continued to be served by combined sewers. Sewer separation began in earnest in the 1960s, in conjunction with a citywide paving program.

In 1986, the City began an accelerated sewer separation program called Minneapolis Combined Sewer Overflow Program - Phase I. CSOs were greatly reduced by Phase I efforts. Phase I was supported in part by federal and state funds and was responsible for disconnecting storm infrastructure that contributed more than 4,600 acres of surface area to Minneapolis sanitary sewers.

The Minneapolis Combined Sewer Overflow Program – Phase II was developed in 2002, based on a 1999/2000 comprehensive planning process and an April 2002 Brown & Caldwell study entitled *Combined Sewer Separation Evaluation* that identified inflow, rather than infiltration, as the major contributor to CSOs. The 2002 study recommended that Minneapolis:

- Disconnect public sector inflow sources: isolated catch basins (inlets), alley drains, and storm drains

**City of Minneapolis - Rainleader Disconnect Program
Status as of March 22, 2010**




Figure 2

April 23, 2010

Progress has been dramatic throughout Phase I and Phase II as upgrades to the system have been carried out (see Figure 3). Figure 3 indicates a very high percent capture since 1984. Frequency and volume of untreated sewage overflowing into the stormwater system during intense rainstorms and discharging into the Mississippi River have steadily diminished. In 2007, 2008, and 2009 there were zero CSO events within the City of Minneapolis. The year 2007 was the first since the City of Minneapolis had combined sewers that untreated sewage did not pollute the Mississippi River in Minneapolis. Nevertheless, overflows could still occur and the separations that remain are generally the most difficult and complex to locate and resolve.




Figure 3

April 23, 2010

The following table shows information about the eight regulators remaining in Minneapolis:

Regulator Site Location	Regulator Number	Responsible Party
39 th Av S & Minnehaha Parkway	M001	MCES
38 th St E & 26 th Av S	M002	MCES
Southwest Meters	M004	MCES
Northwest Meters	M005	MCES
East Meters	M006	MCES
26 th St E & Seabury Av	M007	MCES
Oak St SE & 5 th St SE	M012	MCES
Portland Av & Washington Av S	M020	MCES

The elimination of overflow structures may not be feasible in every case without causing a public health or safety hazard. Some overflow regulators may need to remain operational for emergency relief necessitated by extreme storm or flood events, or to minimize damage due to accidents or system failures.

Since the 2002 start of the Phase II Minneapolis Combined Sewer Overflow Program, Minneapolis Public Works Surface Water & Sewers Division personnel (MPW-SWS) have identified, categorized, and prioritized 128 "CSO areas", meaning areas in the right-of-way with known connection of stormwater drainage to the sanitary sewer system. The CSO Program coordinates with the Minneapolis Capital Improvement Project schedule to address any CSO areas within construction limits of a pending capital project are addressed in conjunction with that project's schedule. Occasionally, new CSO areas are discovered by MPW-SWS maintenance or other staff. This information is a result of:

- Private sewer and water connection reviews (for possible combined connections) that are done prior to issuing any new/repair permits
- Utility and plumbing inspectors' identification of CSO areas as part of their current activities
- Continued education of City staff on the importance of identifying and disconnecting CSO areas

April 23, 2010

Following is a list of public separation work completed in 2009:

CLIC PROJECT CODE	PROJECT	ACRES
CSO #016	Sheridan Av N & 24th Av N - CSW836	2.00
CSO #024	Penn Av N & 17th Av N	0.33
CSO #025	46th to 47th St W, Lyndale to Garfield Av S - CSW836	1.30
CSO #052	W 36th to 37th St, Bryant to Dupont Av S	7.53
CSO #053	49th St W, Pleasant to Rustic Lodge Av	0.60
CSO #054	18th to Cedar Av S, E 37th to 38th St	6.45
CSO #077	6th Av N, Washington Av N to 4th St N	0.54
CSO #114	E 41st St, 13th to 14th Av S	2.37
CSO #115	E 38th St, 15th & Bloomington Av S - CSW836	2.59
CSO #119	2nd Av S & 36th St E	0.09
CSO #122	Fillmore St NE, 36th 1/2 Av NE to RR tracks	0.23
CSO #124	Main St NE & 3rd Av NE	0.50
CSO #127	Alley Drain at 11t Ave N & Knox Ave N	2.07
RLD #005.1	Downtown E & N Loop, 2nd Ave N & Alley - Phase 1	1.49
RLD #007	2nd Ave S and Marquette Ave S Stormwater 2008	2.54
RLD #007	2nd Ave S and Marquette Ave S Stormwater 2009	2.00
RLD #008	Loring Park Rainleader Disconnect	4.48
RLD #009	Hennepin & Lake - 5 Buildings to alley to W 31st St	0.57
Total Area Removed in 2009		37.68

A targeted metering program was initiated in 2008. One of the goals of this investigation is to identify sources of unknown inflow and infiltration. The program has the following components: 1) flow metering installation, 2) while metering, the metered area is smoke tested, 3) manhole covers in the area tributary to the meters are inspected, and 4) the metered area is modeled. The goal of this investigation project is to isolate and identify enough inflow to achieve the goal of eliminating combined sewer overflows.

The unknown sources of inflow have an effect on the system demonstrated by the following meter data in Figure 4. These metering data reveal an immediate reaction of increased flow in the sanitary system after a rainfall event. This meter is located on the City's system in south Minneapolis and is representative of current metering data within this sewer shed.

April 23, 2010




Figure 4: Meter Data

Additional Activities

These activities directly or indirectly benefit the elimination of CSOs:

Minneapolis Flood Mitigation Program

Construction of projects from the Flood Mitigation Program has the benefit of reducing inflow and infiltration to the sanitary system. Construction for a 45-acre section of Flood Area 5 (Phase 1) began in December 2009.

In addition to specific Flood Mitigation Program projects, each CSO project and each rainleader project includes analysis of the need for flood mitigation so that the discharge of stormwater removed from the sanitary sewer does not create new localized flooding problems.

April 23, 2010

Sanitary Sewer Collection System

The sanitary sewer system within the City of Minneapolis is 852 miles in length. Of those, 777.2 miles of sewers are owned and maintained by the City, while 74.8 miles are owned and maintained by Metropolitan Council Environmental Services (MCES).

Minneapolis has a program to replace sanitary manhole covers with more than one hole, in areas where there is likely to be standing water during heavy storm events. Approximately 920 covers have been replaced thus far, including 90 in 2009.

The Sewer Operations section of MPW–SWS routinely inspects sanitary infrastructure, and performs needed maintenance to ensure proper operation. Staff has divided the City into 100 areas for their sewer main cleaning program. This program is significant to the CSO program because it uncovers and reveals inflow and infiltration. Sewer mains are cleaned by different methods including jetting, discing or rodding. Annual records are kept that describe the condition, as well as the cleaning that was done for that year. City staff also utilizes GIS to create maps to better track progress.

Each year, sanitary sewers are selected for cleaning on the basis of past experience, pipe size and location in relation to flood-prone areas and poor soil conditions. Some mains are cleaned annually, but occasionally additional cleanings are needed.

The 10 sanitary pump stations in the City are cleaned each spring, and then checked weekly to determine if additional cleaning is needed.

In addition to cleaning, maintenance in 2009 also included:

- 6 major sanitary sewer repairs
- A total of 8,251 feet (1.6 miles) of sanitary sewer lined with a cured-in-place liner
- 381 (requested by residents) possible sanitary backups were inspected. Of those 381 possible backups, 16 were found to be plugged & were repaired.
- 5,441 problematic sanitary locations were inspected
- 0 sanitary cave-ins were addressed
- 114 minor sanitary repairs were addressed
- 374 miles of sanitary sewer were jetted with high pressure forced water
- 15.7 miles of sanitary sewer were rodded (cleaned)
- 43.97 miles of sanitary sewer were televised

Storm Drain Collection System

The Sewer Operations section also routinely inspects storm drain infrastructure, and performs needed maintenance to ensure proper operation. Inspection and maintenance frequency are event-driven, based on experience and inspection results history.

There are currently 151 grit chambers in Minneapolis that help in sediment, debris, and oil collection. This number has increased each year. These grit chambers are inspected each spring and fall, and cleaned if necessary. Sediment is removed, the presence of

April 23, 2010

floatables is noted, and the grit chamber cleaning dates are logged. This information is then compiled into a database that is maintained by the Sewer Operations section of the Surface Water & Sewers Division.

Storm drain outfalls are inspected on a five-year schedule, generating information on:

- Condition of structures
- Significant erosion
- Any necessary repairs

Grit chamber maintenance and repairs are planned within the constraints of resources and budget, as well as the schedules of other operations. Ponds and pump stations are inspected after significant rainfall events; however, other events might require a maintenance response.

Catch basins are cleaned, removing accumulated sediment, trash and debris. This prevents pollution of receiving waters and minimizes flooding problems. The MPW - Street Maintenance section performs annual inspections, during which they clean catch basin grates on summer street sweeping routes, removing debris and sediment from blocked structures.

Statistics from the 2009 Storm Drain Maintenance program include:

- Completed 1 major repair to the storm drain system
- Performed 210 minor repairs to storm drain lines, catch basins or manholes
- Televised and condition assessed 3.25 miles of storm drain pipe
- Inspected 181 and cleaned 148 grit chambers. A total of 529 cubic yards was removed and properly disposed of.
- Maintained 11 stormwater holding ponds
- Inspected 88 of 387 storm drain outfalls. Of those 88 inspected, 9 needed maintenance or repair.
- Monitored and maintained 25 pump stations.
- Inspected 2200 feet of deep storm tunnels to determine the priority of work needed. The remaining segments will be completed in 2010.

System Challenges

The City of Minneapolis has separated a significant amount of clear water out of the sanitary sewer system and is moving it to the stormwater system. The remaining sources of inflow pose both technical and financial challenges. The receiving stormwater system is at capacity in many locations and creating structural and operational risks with the infrastructure. Much of the system consists of storm tunnels. During rain events, manhole covers throughout the system are forced off the casting and create hazards as a result of the pressure in the tunnel and large diameter pipe. Structural deficiencies in the tunnel system include longitudinal cracks, liner failure, groundwater infiltration and voids in the sandstone surrounding the tunnel. The system needs a significant amount of maintenance and rehabilitation prior to adding additional water. The City is in the process of identifying

April 23, 2010

the priority needs in the tunnel system and beginning to actively address structural deficiencies. In addition there are discussions to identify funding sources to assist with the design and construction of a parallel I-35W South tunnel to provide the necessary capacity in that tunnel system.

There are also known areas with localized flooding. Moving additional clear water to a system that is causing the flooding only exacerbates the problem. In these situations we cannot just separate the clear water but must also respond to the risk of property damage.

In some instances, removing additional clear water and routing instead to the storm drain system is met by additional challenges from watershed organization rules or impaired water status.

Operating and maintenance costs are also increasing as a result of sedimentation occurring in the pipes due to inadequate velocities in the combined pipe system. The sedimentation is also causing methane gas build up and increase corrosiveness in the system.

Future Improvements

The City of Minneapolis will continue to make further reasonable progress maintaining and rehabilitating the combined sewer system and the storm sewer system, and increase the performance of those systems keeping in mind the goal of being the highest performing CSO system.