

# City of Minneapolis Erosion Control Plan Submittal Check List




## Overview

An Erosion and Sediment Control Plan is required for all land disturbance activities which are in excess of either five thousand (5,000) square feet or five hundred (500) cubic yards of earth moved. These plans shall be drawn to an appropriate scale and shall include sufficient information to evaluate the environmental characteristics of the affected areas, the potential impacts of the proposed grading on water resources, and measures proposed to minimize soil erosion and off-site sedimentation. The owner/developer shall perform all clearing, grading, drainage, construction, and development in strict accordance with the approved plan which shall contain the following information.

1. The name, address and telephone number of the developer, permit holder or responsible party of the property where the land disturbing activity is proposed.
2. A signed statement on the plan by the owner, developer, and contractor that all clearing, grading, construction, or development will be done pursuant to the plan.
3. Suitable contours for the existing and proposed topography.
4. The proposed grading or land disturbance activity including and specific limits of disturbance.
5. Clear and definite delineation of any areas of vegetation or trees to be saved.
6. Construction entrance, including details and location.
7. [Standard Minneapolis Erosion Control Notes](#)
8. Existing and proposed storm drainage system.
9. Erosion and sediment control provisions to minimize on-site erosion and prevent off-site sedimentation, including provisions to preserve topsoil and limit disturbance.
10. Design details for both temporary and permanent erosion control structures including inlet protection.
11. Construction of perimeter erosion control devices where need to prevent sediment from leaving the site.
12. Details of temporary and permanent stabilization measures to be implemented following initial soil disturbance or re-disturbance. This stabilization shall be completed within fourteen (14) days of disturbance.
13. Specifications for implementation and maintenance of final erosion control structures.
14. Removal of temporary erosion control devices after site has been stabilized.
15. The City Engineer may require any additional information or data deemed appropriate and/or may impose such conditions thereto as may be deemed necessary to ensure compliance with the provisions of this chapter, or the preservation of public health and safety.
16. The applicant may propose the use of any erosion and sediment control techniques in a final plan, provided such techniques are effective and approved by Minneapolis Public Works Surface Water & Sewers

For more information please visit [The Minneapolis Erosion Control Reference Guide](#)



"Unless someone like you cares a whole awful lot, nothing is going to get better...it's not." Dr. Seuss in *The Lorax*

