

**Energy benchmarking 2021 results - public individual buildings**

Entity	Property Name	Address	Energy Star Score	Primary Property Type	Total Square Footage (Buildings & Parking) (ft <sup>2</sup> )	Site EUI (kBtu/ft <sup>2</sup> )	Weather Normalized Site EUI (kBtu/ft <sup>2</sup> )	Source EUI (kBtu/ft <sup>2</sup> )	Weather Normalized Source EUI (kBtu/ft <sup>2</sup> )	Total Water Usage (kgal)	Total GHG Emissions (Metric Tons CO <sub>2</sub> e)
City	Leamington Ramp	1001 2nd Avenue South	N/A	Parking	700,000	11.9	12.7	17.7	18.7	561.3	641.8
City	TAD 7 Ramp	101 North 9th Street	N/A	Parking	1,650,000	7.7	7.9	18	18.2	241.4	1403.6
City	Hilton Ramp	1030 2nd Avenue South	N/A	Parking	400,000	7.1	7.3	19.9	20.4	N/A	373.2
County	Family Justice Center	110 S. 4th St.	94	Courthouse	277,226	48.7	50.3	80.9	81.3	662.4	951.8
City	Orchestra Hall Ramp #1	1111 Marquette Avenue South	N/A	Parking	239,000	19.9	21.4	34.1	35.8	34.4	392.9
City	Orchestra Hall Ramp #2	1120 2nd Avenue South	N/A	Parking	148,000	5.7	5.8	15.8	16.4	33.4	109.8
City	Plaza Ramp	117 South 12th Street	N/A	Parking	319,000	10.7	11.2	27	28.1	508.1	406.1
City	Currie Maintenance Facility	1200 Currie Ave North	N/A	Other - Services	171,200	75.9	81.6	118.6	124.6	3866.5	979.6
City	Fire Station # 06	121 E 15TH ST	N/A	Fire Station	27,160	80.8	85.3	126.7	130	363.6	167.2
City	Minneapolis Convention Center	1301 second Avenue South	N/A	Convention Center	1,500,000	55	57	93.4	97.2	1844	7288.3
County	North Point Health and Wellness	1313 Penn Ave N	95	Medical Office	143,426	63.8	65.4	129.1	128.5	540.4	452
County	1800 Chicago	1800 Chicago S.	81	Office	129,674	75.2	79.1	119.5	121.3	1461.3	634.6
City	Hiawatha Maintenance Facility	1901 East 26th Street	N/A	Repair Services (Vehicle, Shoe, Locksmith, etc.)	62,192	86.9	92.2	165.6	171.1	193.7	493.2
City	Police Precinct 4	1925 Plymouth Avenue North	N/A	Police Station	25,319	114.1	118.2	198.9	201.1	233.2	242.8

Entity	Property Name	Address	Energy Star Score	Primary Property Type	Total Square Footage (Buildings & Parking) (ft <sup>2</sup> )	Site EUI (kBtu/ft <sup>2</sup> )	Weather Normalized Site EUI (kBtu/ft <sup>2</sup> )	Source EUI (kBtu/ft <sup>2</sup> )	Weather Normalized Source EUI (kBtu/ft <sup>2</sup> )	Total Water Usage (kgal)	Total GHG Emissions (Metric Tons CO <sub>2</sub> e)
City	Riverfront (Guthrie) Ramp	212 9th Avenue South	N/A	Parking	250,000	5.7	6	16.1	16.8	N/A	188.5
County	South Minneapolis Regional Center	2215 E Lake Street	98	Office	102,833	32.6	34.1	61.9	63.5	189.1	331
City	Emergency Operations Training Center	25 37th Avenue NE	N/A	Other	42,581	62.1	64.8	121.1	123.9	522	246.6
City	Public Service Center	250 South 4th Street	43	Office	93,010	161.3	175.2	228.8	245.5	382	1125.8
City	Traffic Maintenance Facility (300 Border)	300 Border Avenue	N/A	Other - Public Services	61,416	73.4	77.4	117.3	120.5	508.1	349.7
County	Central Library	300 Nicolet Mall	N/A	Library	539,487	42.5	N/A	85.7	N/A	1131.8	1857.6
County	Government Center	300 S. Sixth	83	Office	1,394,868	76.9	78.9	128.7	132.7	2673.1	8518.7
City	Police Precinct #3	3000 Minnehaha Avenue	N/A	Police Station	33,761	33.7	37	44	47.8	1.5	73.5
City	City of Lakes	309 2nd Avenue South	34	Office	47,833	130.3	135.7	239.9	244.4	920.4	550.9
City	Hawthorne Ramp	31 North 9th Street	N/A	Parking	630,000	24.9	25.1	40.4	40.8	291.6	1276.8
City	TAD 4 Ramp	318 2nd Avenue North	N/A	Parking	450,000	21.6	22.8	42.8	44.3	433.3	919.3
City	Federal Courthouse Ramp	333 3rd Avenue South	N/A	Parking	105,000	20.8	22.1	43.5	45.9	N/A	223.8
City	City Hall	350 South 5th Street	80	Office	680,000	73.4	72.3	120.4	119.9	8580.1	4169.6
County	Public Safety Facility	401 4 Ave South	N/A	Prison/Incarceration	432,776	116.8	114.9	191.2	190.5	6893.9	3941.3
City	Hamilton School (Police Training)	4131 Dupont Avenue North	N/A	Office	41,326	125.6	133.5	188.1	193.9	272.3	379.3

Entity	Property Name	Address	Energy Star Score	Primary Property Type	Total Square Footage (Buildings & Parking) (ft <sup>2</sup> )	Site EUI (kBtu/ft <sup>2</sup> )	Weather Normalized Site EUI (kBtu/ft <sup>2</sup> )	Source EUI (kBtu/ft <sup>2</sup> )	Weather Normalized Source EUI (kBtu/ft <sup>2</sup> )	Total Water Usage (kgal)	Total GHG Emissions (Metric Tons CO <sub>2</sub> e)
City	Haaf Ramp	424 4th Street South	N/A	Parking	260,000	12.4	N/A	33.1	N/A	483	411.6
City	Water Treatment and Distribution Campus	4500 Marshall Street NE	N/A	Drinking Water Treatment & Distribution	650,000	328.5	336.5	688.3	689.6	N/A	21295.1
City	TAD 5 Ramp	516 2nd Avenue North	N/A	Parking	618,000	15.9	16.7	31.9	32.7	401.7	940.1
County	Health Services Building	525 Portland Ave South	97	Office	198,739	44	44.5	72.3	73.5	388.1	777.2
County	Forensic Sciences Building	530 Chicago Avenue South	N/A	Laboratory	62,602	233.1	228.3	320.8	318.5	277.9	1101
City	Harriet Maintenance Facility	6036 Harriet Avenue South	N/A	Repair Services (Vehicle, Shoe, Locksmith, etc.)	53,364	42.8	45.7	70.2	73.1	906.7	181.4
County	Juvenile Justice Center/Detention Center	626 S. Sixth	N/A	Prison/Incarceration	199,219	72.1	73.7	116.5	118.9	1226.5	1254.8
City	Royalston Maintenance Facility	661 5th Avenue North	N/A	Repair Services (Vehicle, Shoe, Locksmith, etc.)	71,029	85.1	91.1	121.8	128	754.7	404.9
City	Mill Quarter Ramp	711 South 2nd Street	N/A	Parking	120,000	5.8	5.9	16.1	16.5	10.3	90.6
City	10th and LaSalle Ramp	915 LaSalle Avenue	N/A	Parking	360,000	8.8	9.4	17.5	18.3	231.4	312
City	10th and Hennepin Ramp	935 Hennepin Avenue	N/A	Parking	552,000	5.8	6	13.3	13.5	2440.7	355.3